

Declaratory Resolution.

No. 199

Widening Spy Run Ave. from
the St. Marys River to Elizabeth St.

Plat approved Sept. 16th 1910

Res. adopted Sept. 16. 1910

Res. confirmed Oct. 13th 1910

Ant. approved Oct 27th 1910

" confirmed Nov. 10th 1910

Supp. Ant. Roll approved Dec. 15th 1910

Supp. Ant Roll confirmed Jan. 26th 1911

DEPARTMENT OF PUBLIC WORKS, OFFICE OF THE BOARD, ROOM NO 2, CITY HALL
Fort Wayne, Ind., Sept. 15, 1910

DECLARATORY RESOLUTION NO 199.

For the widening of Spy Run Avenue from the center of the St. Mary's River to the south line of Elizabeth Street.

Resolved by the Board of Public Works of the City of Fort Wayne, Indiana, that it is desired and deemed necessary to widen Spy Run Avenue from the center of the St. Mary's River to the south line of Elizabeth Street; said widening to be made by condemning and appropriating for street purposes sufficient parts of lots and lands to make Spy Run Avenue between the above mentioned points a uniform width of fifty two (52) feet.

All as shown by a plan of such proposed widening of Spy Run Avenue as above described now on file in the office of the Department of Public Works, of said city.

The property which may be injuriously or beneficially affected by the widening of Spy Run Avenue as above described is described as all lots and lands fronting on Spy Run Avenue between the center of the St. Mary's River and the south line of Elizabeth Street.

All of said street and lots and lands affected by the widening of Spy Run Avenue being situated in the City of Fort Wayne, County of Allen and State of Indiana.


Adopted this 16th day of September, 1910 X

Frank T. Brown
Henry Hilgerman
E. J. Landon
Board of Public Works

Attest:

H. W. Becker Clerk.

PLAN OF
THE WIDENING OF SPY RUN AVENUE
TO A UNIFORM WIDTH OF 52 FEET FROM
ST. MARY'S RIVER TO ELIZABETH ST
DEC. RES. NO 190
1910





Digitized by the Internet Archive
in 2015

<https://archive.org/details/declaratoryresol1991unse>

THE GLOBE LEGAL WRAPPER. Patented Feb. 11, 1890. FIRST QUALITY.

DIRECTIONS —Elevate the metal points —attach the manuscript—then bend the points down flat—dampen the gummed flap and stick it down—this fastens the papers and hides the metal.